



« « »



-

« **-100 (150)**»

(**50**)

100.390.400-01

1

1.1 (50) (-)

1.2

15150-69, 10 3.1 OM3.1
55 °C
93% (40 °).

1.3

1.4 50/1,2(12)- . 3.1.
: 50 -

1,2 - , ; (12) -

3.1 - , ; - , - 15150-69.

2

2.1 - 50 .

2.2 (0,2 ± 0,02) -

0,5 ³/ .

2.3 (

0,14 0,6

0,14 - 1,2) -

6 .

2.4

(0,35 ± 0,05) ,

1 ³,

(0,20 ± 0,02) -

3 .

2.5

- 12 .

2.6

- 55 .

2.7

50±1 (60±1),

220 ⁺²²/₋₃₃ B -

20 .

2.8

(12 , 2,3 A.) -

1 .

2.9

0,60 .

2.10

1,2 .

2.11

25 .

2.12

10 .

3

100.390.400-01		1
100.390.400-01		1
100.403.000-03		2
100.390.435	"Fast Lock"- 60 (D 50)	2

4

4.1 (.) :

- (-1) 1,
- ()

- 2 5;
-

,
- -1;
- 3,

- ;
- () 4,
- ();

- 6,
- 220

- 12 ;
- 7 2.1,

4.2 ,
- (1.3 1.4 -1 1.1 1.2
-1

« -2».
4 .
-1

4 .
-1
- 2,

5
5.1 .
-
-
-

5.2 " () "
-
-

5.3 " () " -016-2001 (153-34.0-03150-00).
-
-

00 12.2.007.0-75.

6

6.1

100.332.000-01

6.2

88-2001,

6.3

« », 2008

1000

6.4

7

7.1

1.

1

-		
-		-
-	,	-
-		-
()	-	-

8

8.1

8.1.1

5 15150-69.

8.1.2

(-

, ' . .) , ,

8.1.3

- (, -

).

8.1.4

8.1.5

6 -

8.2

8.2.1

I

15150-69.

8.2.2

12997-84.

9

9.1

50/1,2(12)- . 3.1 -
4892-102-00226827-2008.

10

10.1

50/1,2(12)- . 3.1 -
4892-102-00226827-2008

11

11.1 – 24

11.2 – 30

11.3 - - ,

12

12.1 , -

12.2 2

2

:

-RU. 01. .01713,

23.11.2016 .
9001-2001 (9001-2000).

659316, , - , . : 10,
« « ».

:
- (3854) 44-90-42;
- (3854) 44-91-14.

: (3854) 44-90-70.

E-mail: info@sauto.biysk.ru
http://www.sauto.biysk.ru



